			·	
L Number	Hits	Search Text	DB	Time stamp
- 1	41627	pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/21 11:58
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.	US-PGPUB;	
Ì			EPO; JPO;	
,			DERWENT;	
			IBM_TDB	
->:-	4414	(pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 09:09
· ·		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(variabl\$43 change\$4 exten\$4) near3 (chamber cavity	EPO; JPO;	
		volume bore housing).clm.	DERWENT;	
			IBM_TDB	0000/00/04 40 00
-	4427	(pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/21 12:03
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume	EPO; JPO;	
		bore housing).clm.	DERWENT;	
		l	IBM_TDB	
-	2070	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/21 12:05
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume	EPO; JPO;	
,		bore housing).clm.) and valve.clm.	DERWENT;	
			IBM_TDB	0000100104 40.07
-	-37	((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/21 12:07
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
	477	and (piston cylinder).clm.) and fitting.clm. ((((pressure near3 (sens\$4 measur\$4 test monitor\$4	IBM_TDB USPAT;	2003/03/21 12:09
-	177	indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	2003/03/21 12.09
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston cylinder).clm.) and variable near3 volume	IBM_TDB	
	147	((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/21 12:09
_	177	indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	2000/00/21 12:00
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
	!	(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston cylinder).clm.) and variable near3 volume.clm.	IBM_TDB	
_	558	((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/21 12:11
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston cylinder).clm.) and (second double couple pair	IBM_TDB	
		two series array) near4 pressure		
-	63	((((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/21 12:44
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
	.	comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	1
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston cylinder).clm.) and (second double couple pair	IBM_TDB	
		two series array) near4 pressure) and compar\$4.clm.		0000/00/00 11 57
-	75	((((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/23 11:27
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston cylinder).clm.) and (second double couple pair	IBM_TDB	1
	40	two series array) near4 pressure) and compar\$4.clm.	LICDAT	2002/02/22 00:25
-	19	(((((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/23 08:25
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO; DERWENT;	
		(chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and (second double couple pair	IBM_TDB	
		two series array) near4 pressure) and compar\$4.clm.) and	יייייייייייייייייייייייייייייייייייייי	
		fitting		
L	l	namy	<u> </u>	<u> </u>

-	19	((((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/23 09:05
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston cylinder).clm.) and (second double couple pair	IBM_TDB	
		two series array) near4 pressure) and compar\$4.clm.) and	_	
		fitting		
_	1	thermodynamic near3 pressure near3 temperature near3	USPAT;	2003/03/23 09:08
		(sens\$4 detect\$4 measur\$4 transducer gauge evaluat\$4	US-PGPUB;	
		estimat\$4 identif\$4 indicat\$4).clm.	EPO; JPO;	
		,	DERWENT;	1
		· ·	IBM_TDB	,
_	22	thermodynamic near3 pressure near3 temperature near3	USPAT;	2003/03/23 09:09
		(sens\$4 detect\$4 measur\$4 transducer gauge evaluat\$4	US-PGPUB;	
		estimat\$4 identif\$4 indicat\$4)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
<u> </u>	7	(thermodynamic near3 pressure near3 temperature near3	USPAT;	2003/03/23 09:11
-		(sens\$4 detect\$4 measur\$4 transducer gauge evaluat\$4	US-PGPUB;	2000/00/20 00:11
		estimat\$4 identif\$4 indicat\$4)) and (variabl\$43 change\$4	EPO; JPO;	
		exten\$4) near3 (chamber cavity volume bore housing)	DERWENT;	
		extended) hears (chamber cavity volume bore housing)	IBM_TDB	
	358	(((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 10:13
-	336	identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	2003/03/23 10.13
		(variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume		
			EPO; JPO;	
		bore housing).clm.) and valve.clm.) and (piston and	DERWENT;	
	45	cylinder).clm.	IBM_TDB	0003/03/03 40:40
-	45	((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/23 10:42
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston and cylinder).clm.) and magnet\$3	IBM_TDB	0000/05/00 00:00
-	12	(((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/05/22 08:30
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
		(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston and cylinder).clm.) and magnet\$3 and remot\$5	IBM_TDB	0000/00/00 40.50
-	4	((((((pressure near3 (sens\$4 measur\$4 test monitor\$4	USPAT;	2003/03/23 10:50
		indicat\$4 identif\$4 evaluat\$4 transducer gauge	US-PGPUB;	
		comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3	EPO; JPO;	
	1	(chamber cavity volume bore housing).clm.) and valve.clm.)	DERWENT;	
		and (piston and cylinder).clm.) and magnet\$3 and remot\$5)	IBM_TDB	
		and remot\$4 near3 valve	LIODAT	0000/00/00 11 55
-	42149	pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 11:30
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	_		IBM_TDB	0000/00/00
-	0	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 11:32
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(two many several plurality array multiple) near2 pressure	EPO; JPO;	
		near3 (compar\$4 contrast\$3 collat\$4).clm.) and fitting.clm.	DERWENT;	
			IBM_TDB	
-	4	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/05/22 08:52
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(two many several plurality array multiple) near2 pressure	EPO; JPO;	
		near3 (compar\$4 contrast\$3 collat\$4).clm.) and fitting	DERWENT;	,
			IBM_TDB	
-	21	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 11:48
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(two many several plurality array multiple) near2 pressure	EPO; JPO;	
		near3 (compar\$4 contrast\$3 collat\$4).clm.) and (linearity	DERWENT;	
		sensitivity repeatability hysteresis)	IBM_TDB	
	·			

-	1	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 11:50
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and	US-PGPUB;	
		(two many several plurality array multiple) near2 pressure	EPO; JPO;	
		near3 (compar\$4 contrast\$3 collat\$4).clm.) and (linearity and	DERWENT;	
		sensitivity and repeatability and hysteresis)	IBM TDB	
_	3	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4	USPAT;	2003/03/23 11:50
-	ا	identiff 4 evaluate 4 transducer gauge compute 4) alm \ and	US-PGPUB;	2003/03/23 11.30
		identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and		
		(two many several plurality array multiple) near2 pressure	EPO; JPO;	,
		near3 (compar\$4 contrast\$3 collat\$4).clm.) and (linearity)	DERWENT;	
			IBM_TDB	
	1	("4665753").PN.	USPAT	2003/03/23 12:50
_	2527	(piston hydraulic plunger) near3 (variable many several	USPAT;	2003/09/06 07:25
		different) near3 volume	US-PGPUB;	
		differently flear of volume	EPO; JPO;	
			DERWENT;	·
	_		IBM_TDB	
-	695	(piston hydraulic plunger) near3 (variable many several	USPAT;	2003/05/22 08:55
		different) near3 volume.clm.	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	400	·		2002/05/22 00:50
-	490	((piston hydraulic plunger) near3 (variable many several	USPAT;	2003/05/22 08:58
		different) near3 volume) and pressure near3 (sens\$4	US-PGPUB;	
		measur\$4 identif\$4 test monitor indicat\$4 estimat\$4	EPO; JPO;	
		evaluat\$4 transducer gauge)	DERWENT;	
		3 3 7	IBM_TDB	
_	151	((piston hydraulic plunger) near3 (variable many several	USPAT;	2003/05/22 08:59
_	'3'	different) near3 volume) and pressure near3 (sens\$4	US-PGPUB;	2000/00/22 00:00
		measur\$4 identif\$4 test monitor indicat\$4 estimat\$4	EPO; JPO;	
		evaluat\$4 transducer gauge).clm.	DERWENT;	
			IBM_TDB	
-	24	(((piston hydraulic plunger) near3 (variable many several	USPAT;	2003/05/22 09:07
		different) near3 volume) and pressure near3 (sens\$4	US-PGPUB;	
	1	measur\$4 identif\$4 test monitor indicat\$4 estimat\$4	EPO; JPO;	
		evaluat\$4 transducer gauge).clm.) and (two couple) near3	DERWENT;	
			IBM_TDB	
		volume		2002/05/22 00:07
-	4	(((((piston hydraulic plunger) near3 (variable many several	USPAT;	2003/05/22 09:07
		different) near3 volume) and pressure near3 (sens\$4	US-PGPUB;	
		measur\$4 identif\$4 test monitor indicat\$4 estimat\$4	EPO; JPO;	
		evaluat\$4 transducer gauge).clm.) and (two couple) near3	DERWENT;	
	/	volume) and valve) and fitting	IBM_TDB	
_	24	((((piston hydraulic plunger) near3 (variable many several	USPAT;	2003/05/22 11:44
_	-	different) near3 volume) and pressure near3 (sens\$4	US-PGPUB;	
			EPO; JPO;	
		measur\$4 identif\$4 test monitor indicat\$4 estimat\$4		
	1	evaluat\$4 transducer gauge).clm.) and (two couple) near3	DERWENT;	
		volume) and valve	IBM_TDB	
- :	2	(("6408690") or ("6501372")).PN.	USPAT	2003/05/22 11:45
-	2	("5747674").PN.	USPAT;	2003/08/26 15:55
	_	`	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/00 07 11
-	29	(piston hydraulic plunger) near3 (variable many several	USPAT;	2003/09/06 07:41
		different) near3 internal near3 volume	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	(piston hydraulic plunger) near3 (variable many several	USPAT;	2003/09/06 07:42
-				2000/00/00 07.42
		different) near3 internal near3 volume and 73/708.ccls.	US-PGPUB;	
			EPO; JPO;	
			I DEDIMENT.	i
			DERWENT; IBM_TDB	